

MARK BOX		
Problem	Points	
1	30	
2	15	
3	20	
4	20	
5	15	
Total	100	

MATH 142 sections 004 & 005
 FALL 1993 EXAM # 3

NAME: _____

SSN: _____

Instructions:

- (1) To receive credit, you must work in a logical fashion, SHOW ALL YOUR WORK, INDICATE YOUR REASONING, and when applicable put your answer on the line (or in the box) provided.
- (2) The “Mark Box” indicates the problems along with their points. Check that your copy of the exam has all of the problems.
- (3) During this test, do not leave your seat. Raise your hand if you have a question. When you finish, turn your exam over, put your pencil down, and raise your hand.
- (4) “Formula sheets” are not allowed. Calculators are allowed.
- (5) This is a closed book/closed notes exam covering (from *Calculus* by Edwards & Penny) sections 12.7–12.9, 10.1–10.2.

1. Find the interval of convergence for each of the below power series. Do not forget to “check the endpoints.” Has parts a), b), and c).

a) $\sum_{n=1}^{\infty} \frac{x^n}{n!}$ has interval of convergence _____ .

b) $\sum_{n=1}^{\infty} \frac{(2n)! x^n}{n!}$ has interval of convergence _____

c) $\sum_{n=1}^{\infty} \frac{(2x - 6)^n}{10n + 17}$ has interval of convergence _____

2. For each of the following functions, write a power series expansion (namely the Taylor series) about the point $a = 0$. Write your answer in closed form (i. e. using the \sum sign). Indicate the values of x for which the expansion is valid.

a) $e^x = \sum_{n=}$ valid for _____

b) $\cos x = \sum_{n=}$ valid for _____

c) $\sin x = \sum_{n=}$ valid for _____

d) $\frac{1}{1-x} = \sum_{n=}$ valid for _____

3. Find a power series expansion (namely the Taylor series) of the below functions about the point a . Be clever and use your answers to question 2. Write your answer in closed form (i. e. using the \sum sign). Indicate the values of x for which the expansion is valid.

a) About $a = 0$: $e^{2x} = \sum_{n=}$ valid for _____

c) About $a = 3$: $\frac{1}{21+x} = \sum_{n=}$ valid for _____

4. Working through the steps below, find a power series representation for the given definite integral. For what values of x is this series valid? Express your answers in closed form (i. e. using the \sum -sign).

a) $\frac{1}{1-t} = \sum_{n=}$

b) $\frac{1}{1+t^5} = \sum_{n=}$

c) $\int_0^x \frac{1}{1+t^5} dt = \sum_{n=}$ valid for _____.

d) Using the above infinite series and the alternating series error estimate test, approximate $\int_0^{.5} \frac{1}{1+t^5} dt$ within 3 decimal places of accuracy. You may leave your answer in the form of a sum of n terms but explain why your choice of n works!

$\int_0^{0.5} \frac{1}{1+t^5} dt \approx$ _____

⊛ Show your work below:

5. On the same grid, sketch the curves $r = \sin \theta$ and $r^2 = 3 \cos^2 \theta$.
The points (r, θ) , with θ in radians, of intersection of these two curves are
-