

PRINT Your Name: _____

Quiz 2 — January 24, 2014 – Section 8 – 10:50 – 11:40

Remove everything from your desk except this page and a pencil or pen.

The solution will be posted soon after the quiz is given.

Circle your answer. **Show your work. Your work must be correct and coherent.**

The quiz is worth 5 points.

Find $\int_0^\pi \sin^4(3t) dt$.

Answer: We use the double angle formula $\sin^2 \theta = \frac{1}{2}(1 - \cos 2\theta)$ to see that

$$\int_0^\pi \sin^4(3t) dt = \frac{1}{4} \int_0^\pi (1 - \cos(6t))^2 dt = \frac{1}{4} \int_0^\pi (1 - 2\cos(6t) + \cos^2(6t)) dt.$$

We use the double angle formula $\cos^2 \theta = \frac{1}{2}(1 + \cos 2\theta)$ to obtain that the most recent integral is

$$= \frac{1}{4} \int_0^\pi (1 - 2\cos(6t) + \frac{1}{2}(1 + \cos(12t))) dt = \frac{1}{4} \int_0^\pi (\frac{3}{2} - 2\cos(6t) + \frac{1}{2}\cos(12t)) dt$$

$$= \frac{1}{4} \left(\frac{3}{2}t - 2\frac{\sin(6t)}{6} + \frac{1}{2}\frac{\sin(12t)}{12} \right) \Big|_0^\pi = \boxed{\frac{3\pi}{8}}$$