

PRINT Your Name: _____

Quiz 5 — February 16, 2011 — Section 3 — 8:00-8:50 recitation.


Remove everything from your desk except this page and a pencil or pen.

Circle your answer. Show your work. Check your answer.


The quiz is worth 5 points.

Consider a solid whose base is the triangular region with vertices $(0,0)$, $(1,0)$, and $(0,1)$. The cross sections of this solid perpendicular to the y -axis are equilateral triangles. Find the volume of the solid.

The base of the solid is




We partition the y -axis from $y = 0$ to $y = 1$. We consider the slice above each small interval of the y -axis




This slice has volume equal to the area of the face times the thickness. The volume of the slice is $\frac{1}{2}bht$ where b is the base of the triangle and h is the height of the triangle.



The triangle is equilateral so $h = \frac{\sqrt{3}}{2}b$.



The volume of the slice is $\frac{1}{2}bht = \frac{1}{2} \frac{\sqrt{3}}{2} b^2 \Delta y$. We can express b in terms of y by looking at the original picture of the base. The line through $(1,0)$ and $(0,1)$ is $x + y = 1$. We see that $b = 1 - y$:



The volume of the slice is $= \frac{1}{2} \frac{\sqrt{3}}{2} b^2 \Delta y = \frac{\sqrt{3}}{4} (1 - y)^2 \Delta y$. The volume of the solid is

$$\frac{\sqrt{3}}{4} \int_0^1 (1 - y)^2 dy = \left. -\frac{\sqrt{3}}{4} \frac{(1 - y)^3}{3} \right|_0^1 = \boxed{\frac{\sqrt{3}}{12}}$$